

ClampOn Subsea Funnels



***ClampOn Funnels for mounting of ClampOn Subsea Sensor,
from left: Funnel for bend, Standard Funnel,
Bulkhead Funnel and Retrofit Funnel***

Description

ClampOn has a range of funnels for different applications. Our funnels are designed in-house and cater to all the most typical pipe dimensions. Non-typical dimensions and applications can be engineered on request. The

illustration above shows our funnel models on a 6" pipe. Each of the models have their respective applications (description on the back). All funnels are made out of carbon steel. Our Standard, Bend and Retrofit models come

with bolts for mounting anodes. All our models can accommodate anodes depending on the pipe dimension. In each case, the anode is dimensioned to last beyond the design life of the funnel. All funnels have no welded parts.

Norway: ClampOn AS, Vaagsgaten 10, NO-5160 Laksevaag, Bergen, Norway, Phone: +47 5594 8850, e-mail: mail@clampon.com
USA: ClampOn, Inc., 15720 Park Row, Ste. 300 (77084), Houston, TX, USA, Phone: +1 281 492 9805, email: infoinc@clampon.com

www.clampon.com

Funnel Options:

- Dimensions: Clamp engineered to fit different pipe dimensions.
- Coating: Typically NORSOK M-501:2022 7B and 7C or Xylan 1424. Other coatings available on request.*
- Funnels could be installed under insulation, depending on type and thickness of insulation material.*
- Standalone parking bracket available on request.*
- Cathodic protection: Anode* or earthing straps.
- Retrofit funnel handle: Paddle (standard), fishtail or T-Bar.
- Standard Fasteners A4-80, Under insulation L7M/7M, other materials available on request

* Additional cost upon selection

Note: Not all combinations of model, option and dimension may be available. Always check with ClampOn for availability.



ClampOn Subsea sensor in Funnel

ClampOn Standard Funnel

Our default funnel suitable for most applications, including where insulating the pipe and preventing heat loss is important.

ClampOn Bulkhead Funnel

For applications where cable entry from the top of the funnel is required.

ClampOn Retrofit Funnel

Can be installed by ROV and is used on ad hoc service jobs or for mounting sensors in locations that do not already have a funnel installed. Can be supplied with buoyancy elements.

ClampOn Bend Funnel

This model is designed to be mounted on a bend.



Norway: ClampOn AS, Vaagsgaten 10, NO-5160 Laksevaag, Bergen, Norway, Phone: +47 5594 8850, e-mail: mail@clampon.com

USA: ClampOn, Inc., 15720 Park Row, Ste. 300 (77084), Houston, TX, USA, Phone: +1 281 492 9805, email: infoinc@clampon.com

www.clampon.com